


PRODUCT SPECIFICATIONS

MODEL No.	DESCRIPTION:	
4217	VENOM® Multi-7 Smoke	
	Revision E 2/20	



PHYSICAL & OPERATIONAL		
Туре	Smoke Pyrotechnic Projectiles	
Caliber*	37MM	
Weapon Compatibility	Venom Launching System	
Cartridge Length	9" (228 mm)	
Effective Range**	100-160 Meters	
Overall Weight	490 gm	
Discharge Time	20- 40 Seconds	
Waterproof	Sealed tube bore and sealed primer by launcher design during loading.	
Warranty	5 Years from Shipment Date	

All specifications are average and are subject to change without notice.

All performance specifications are based on testing conducted in Jamestown, PA USA,

At an elevation of 1,058 feet above sea level at ambient temperature conditions.

NOT TO SCALE

WARNING: CSI manufactures a variety of CTS less lethal products which are under pressure, pyrotechnic, incendiary, emit projectiles, generate smoke, or are explosive in nature. When used in accordance with CTS training guidelines and the individual agency's policy, they are intended to cause varying degrees of pain and injury, which are temporary. These products are restricted to law enforcement, corrections, and military personnel and are used to gain compliance, disperse crowds, restore order, or temporarily incapacitate dangerous persons. In rare circumstances, if used incorrectly, CTS less-lethal products may cause damage to property, serious bodily injury or death. Therefore, any person using the force option depicted on this page should receive proper training to ensure the safest and most effective use.

SHIPPING INFORMATION			
Proper Shipping Name	Ammunition, Smoke		
UN Number	0303		
Hazard Class	1.4G		
Labels Required	Explosive 1.4G		
Quantity Per Package	27 Cartridges		
Total Package Weight	35 lbs.		
Package Type	Steel 7 Gallon Drum		
Package Dimensions	12 x 19		
Net Explosive Weight	47.90gm per unit		

*VENOM® Munitions are electronic fired and proprietary to the VENOM® Non-Lethal Tube Launch Munitions System.

**Effective range varies depending on the bank the munitions are launched from, the height of the mount, and the position of the individual sub-munitions in the launching tube. Environmental conditions also influence range and accuracy.









CTS is a Division of Combined Systems, Inc.

388 Kinsman Rd.
Jamestown, PA 16134 USA
TEL (724) 932-2177
FAX (724) 932-2166

EMAIL <u>Sales@combinedsystems.com</u> <u>www.combinedsystems.com</u>