
PRODUCT **SPECIFICATIONS**



MODEL No.	DESCRIPTION:
9420	Irritant Tear-Ball™ Grenade w/ CN
9430	Irritant Tear-Ball™ Grenade w/ CS
9440	Irritant Tear-Ball™ Grenade w/ OC
	Revision D 5/21



NOT TO SCALE

WARNING: CSI manufactures a variety of CTS less lethal products which are under pressure, pyrotechnic, incendiary, emit projectiles, generate smoke, or are explosive in nature. When used in accordance with CTS training guidelines and the individual agency's policy, they are intended to cause varying degrees of pain and injury, which are temporary. These products are restricted to law enforcement, corrections, and military personnel and are used to gain compliance, disperse crowds, restore order, or temporarily incapacitate dangerous persons. In rare circumstances, if used incorrectly, CTS less-lethal products may cause damage to property, serious bodily injury or death. Therefore, any person using the force option depicted on this page should receive proper training to ensure the safest and most effective use.

PHYSICAL & OPERATIONAL				
Туре	Sting-Ball / Tear Ball Grenades			
Material	Rubber			
Diameter	3.125" (80 mm)			
Length	5.10" (129.5 mm)			
Weight	Approximately 300 gm			
Fuze Type	Model 201			
Detonation Delay	2.6 ± 1.1- 1.5 Sec.			
Payload Material	Powder			
	CN	40 grams		
	CS	35 grams		
	OC	50 grams		
Launchable	Yes			
Warranty	5 Years From Shipment Date			
All specifications	are average and are subje	ect to change without notice.		

All performance specifications are based on testing conducted in Jamestown, PA USA, At an elevation of 1,058 feet above sea level at ambient temperature conditions.

SHIPPING INFORMATION			
Proper Shipping Name	Ammunition Tear Producing		
UN Number	0301		
Hazard Class	1.4G Poison, Corrosive		
Labels Required	6.1, 8		
Quantity Per Package	12 Grenades		
Total Package Weight	18 lb.		
Package Type	4G Fiber Board Box Double Wall POP		
Package Dimensions	12.75" X16.75" X 7.25" Height		

The 94 Series Tear-Ball™ Grenades produce a loud blast, emit bright light, and subsequently dispersing a cloud of irritant powder. The primary application of this device is for riot control.





CTS is a Division of Combined Systems, Inc. 388 Kinsman Rd. Jamestown, PA 16134 USA TEL (724) 932-2177 FAX (724) 932-2166 EMAIL Sales@combinedsystems.com www.combinedsystems.com