


PRODUCT SPECIFICATIONS

MODEL No.	DESCRIPTION:		
2555	12GA (3) .60Cal Sting-Balls	12GA (3) .60Cal Sting-Balls	
		Revision D 5/21	



NOT TO SCALE

WARNING: CSI manufactures a variety of CTS less lethal products which are under pressure, pyrotechnic, incendiary, emit projectiles, generate smoke, or are explosive in nature. When used in accordance with CTS training guidelines and the individual agency's policy, they are intended to cause varying degrees of pain and injury, which are temporary. These products are restricted to law enforcement, corrections, and military personnel and are used to gain compliance, disperse crowds, restore order, or temporarily incapacitate dangerous persons. In rare circumstances, if used incorrectly, CTS less-lethal products may cause damage to property, serious bodily injury or death. Therefore, any person using the force option depicted on this page should receive proper training to ensure the safest and most effective use.

PHYSICAL & OPERATIONAL		
Туре	Crowd Dispersal Impact Munition	
Caliber	12 GA	
Weapon Compatibility	Cylinder Bore, 18" Barrel Minimum	
Cartridge Length	2.45" (62.2mm)	
Effective Range*	50' (15.2 M)	
Overall Weight	17.0 gm	
Projectile Material	Rubber	
Velocity	450 - 550 ft./sec	
Warranty	5 Years from Shipment Date	

All specifications are average and are subject to change without notice.

All performance specifications are based on testing conducted in Jamestown, PA USA,
At an elevation of 1,058 feet above sea level at ambient temperature conditions.

SHIPPING INFORMATION		
Proper Shipping Name	Cartridges for Weapons, Inert Projectile	
UN Number	0012	
Hazard Class	1.4 S	
Labels Required	Explosive 1.4S	
Quantity Per Package	5 Cartridges in Plastic Bag	
Total Package Weight	18lb. (400 Cartridges)	
Package Type	Fiberboard Box	
Package Dimensions	17x11x 6	

*The 2555 Sting-Ball launches multiple rubber projectiles (3) to affect a general area. The shot pattern of the projectiles will increase over distance. General accuracy and effectiveness is relative to the shotgun, barrel length, environmental conditions, the operator, distance, thickness of clothing and the stature of the human target.

CAUTION: Dispersion of the projectiles creates a greater risk of eye injury, and requires the operator to target a low point of impact, below the belt line, on human targets.







